

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A packaging device for a product comprising:

a support having a generally planar shape in the form of a plate having two faces, said two faces including planar surfaces such that said support is in the form of a flat plate, wherein said support including is traversed by at least one cavity, wherein the depth of the cavity is less than or equal to a thickness of the plate extending between said two faces, said cavity opening on at least one face of said two faces of the support at a first aperture, [[and]] wherein said cavity contains a product;

the device further including an applicator for the product, wherein said applicator is connected to the support by a junction area which is breakable so as to detach the applicator from the support.

2. (Original) A device according to claim 1, wherein the applicator is formed as an extension of the support and has a thickness less than or equal to that of the support.

3. (Original) A device according to claim 2, wherein the applicator includes an elongated handling portion and at least one applicator portion formed at an end of the handling portion.

4. (Original) A device according to claim 3, wherein the applicator portion includes at least one of a foam material, a woven material, a non-woven material, a flock material, and bristles.

5. (Original) A device according to claim 1, wherein the junction area includes an area having a thickness smaller than that of the support.

6. (Original) A device according to claim 5, wherein the junction area extends continuously along the applicator.

7. (Original) A device according to claim 1, wherein the junction area extends continuously along the applicator.

8. (Original) A device according to claim 5, wherein the junction area includes a plurality of tabs spaced along the applicator.

9. (Original) A device according to claim 1, wherein the junction area includes a plurality of tabs spaced along the applicator.

10. (Original) A device according to claim 1, wherein the cavity extends through said support and opens on both of said two faces of said support, and wherein said cavity opens at a second aperture on a face opposite to the face having said first aperture, and wherein an adhesive sheet closes off the second aperture and forms a bottom of the cavity.

11. (Original) A device according to claim 10, wherein the adhesive sheet at least partially delineates a housing designed to receive the applicator.

12. (Original) A device according to claim 11, wherein the housing is delineated by a rolled-back end portion of the sheet which is rolled back on itself to form a tubular housing.

13. (Original) A device according to claim 12, wherein the rolled-back portion has an edge glued to the sheet, the rest of the rolled-back portion not being coated with glue.

14. (Original) A device according to claim 11, wherein the housing is partially delineated by a portion of the sheet which is not glued to the support, and partially by an area of the support located opposite the portion of the sheet.

15. (Original) A device according to claim 14, wherein the area of the support which partially delineates the housing is an area of one of the faces of the support.

16. (Original) A device according to claim 14, wherein the area of the support which partially delineates the housing is an area of an end surface of the support.

17. (Original) A device according to claim 11, wherein the device further includes a lid generally planar in shape and having two faces, and wherein the lid is articulated to the support.

18. (Original) A device according to claim 17, wherein the adhesive sheet is partially glued to a face of the lid so as to form the articulation between the support and the lid.

19. (Original) A device according to claim 10, wherein the device further includes a lid generally planar in shape and having two faces, and wherein the lid is articulated to the support.

20. (Original) A device according to claim 19, wherein the adhesive sheet is partially glued to a face of the lid so as to form the articulation between the support and the lid.

21. (Original) A device according to claim 1, wherein the device further includes a lid generally planar in shape and having two faces, and wherein the lid is articulated to the support.

22. (Original) A device according to claim 21, further including a label forming a mirror glued to one of the faces of the lid.

23. (Original) A device according to claim 22, wherein the label forming a mirror is partially glued to one of the faces of the support so as to form the articulation between the support and the lid.

24. (Original) A device according to claim 18, further including a label forming a mirror glued to one of the faces of the lid.

25. (Original) A device according to claim 1, further including a detachable seal closing off the first aperture in a detachable manner, said seal being removed before use in order to access the product.

26. (Original) A device according to claim 1, wherein said cavity contains a make-up product.

27. (Original) A device according to claim 1, wherein said device holds a make-up sample.

28. (Original) A packaging device for a product, including:
a support generally planar in shape and having two faces, the support being traversed by at least one cavity which opens on each face of the support via a first aperture and a second aperture, and wherein the cavity contains a product; and

an adhesive sheet at least partially adhered to a face of the support so as to close off the second aperture, and wherein the sheet is glued in a manner such that it delineates, at least partially, a housing designed to receive an applicator.

29. (Currently Amended) A packaging device for a product comprising:
a support having a first face and a second face, said support including at least one cavity extending at least partially through said support and opening on said first face at a first aperture, wherein said at least one cavity contains a product;

an applicator for applying the product;

wherein said packaging device further includes ~~at least one of~~:

(i) a breakable junction coupling said applicator to said support, wherein upon breaking of said junction said applicator is detached from said support and is freed for use in applying said product; and

(ii) an adhesive sheet at least partially adhered to one of said first and second faces of said support, wherein a portion of said sheet at least partially defines a housing for receiving said applicator; and

wherein prior to a first use, the applicator is separated from said support by breaking said junction, and thereafter, said applicator can be stored in said housing.

30. (Canceled)

31. (Currently Amended) A packaging device as recited in claim ~~[[30]]~~ 29, further including a removable seal which covers said first aperture to cover said product prior to use.

32. (Original) A packaging device according to claim 31, wherein said cavity extends through said support and opens on said second face at a second aperture, and wherein said adhesive sheet covers said second aperture to close said second aperture on said second face.

33. (Currently Amended) A packaging device according to claim ~~[[30]]~~ 29, wherein said cavity extends through said support and opens on said second face at a second aperture, and wherein said adhesive sheet covers said second aperture to close said second aperture on said second face.

34. (Currently Amended) A packaging device according to claim ~~[[30]]~~ 29, wherein said product is a make-up product.

35. (Original) A packaging device according to claim 29, wherein said product is a make-up product.

36. (Original) A packaging device according to claim 29, wherein said packaging device includes said adhesive sheet, and wherein said cavity extends through said support and

opens on said second face at a second aperture, and further wherein said adhesive sheet covers said second aperture to close said second aperture.

37. (Currently Amended) ~~A packaging device according to claim 36,~~ A packaging device for a product comprising:

a support having a first face and a second face, said support including at least one cavity extending through said support, said cavity opening on said first face at a first aperture and on said second face at a second aperture, wherein said at least one cavity contains a product;

an applicator for applying the product;

wherein said packaging device further includes an adhesive sheet at least partially adhered to one of said first and second faces of said support, wherein a portion of said sheet at least partially defines a housing for receiving said applicator, and wherein said adhesive sheet covers said second aperture to close said second aperture; and

the device further including a lid, and wherein said adhesive sheet is attached to a portion of said lid such that said lid is articulated to said support by way of said adhesive sheet.

38. (Original) A packaging device according to claim 37, wherein in a closed position said lid at least partially covers said first face of said support and extends over said first aperture.

39. (Original) A packaging device according to claim 38, further including a removable seal that extends over said first aperture to removably close said first aperture, and wherein in said closed position said lid covers said removable seal.

40. (Original) A packaging device according to claim 36, wherein said housing is disposed on an edge face of said support.

41. (Original) A packaging device according to claim 36, wherein said housing is disposed on one of said first and second faces of said support.

42. (Original) A packaging device according to claim 29, wherein said first and second faces of said support are flat.

43. (Original) A packaging device according to claim 29, wherein said packaging device includes said breakable junction.

44. (Original) A packaging device according to claim 43, wherein said breakable junction extends continuously along an edge of said support.

45. (Original) A packaging device according to claim 43, wherein said breakable junction includes a plurality of spaced tabs extending between said support and said applicator.

46. (Original) A packaging device according to claim 43, wherein said first and second faces of said support are flat, and wherein said applicator includes two flat faces.

47. (Original) A packaging device according to claim 43, further including a removable seal that removably closes said first aperture.

48. (Original) A packaging device according to claim 47, further including a lid, wherein said lid covers said removable seal in a closed position, and further wherein said lid is articulated to said support by an adhesive sheet.

49. (Original) A packaging device according to claim 47, wherein said product is a make-up product.

50. (New) A packaging device according to claim 1, wherein said support includes at least one side face extending between said two faces, wherein said applicator is connected to said at least one side face and wherein said applicator extends along a direction parallel to said two faces prior to breaking of said breakable junction.

51. (New) A packaging device according to claim 50, wherein said applicator includes a handle portion having a thickness which is the same as the thickness of the plate.

52. (New) A packaging device according to claim 50, wherein said support includes a plurality of side faces and said applicator is connected to one of said side faces.

53. (New) A packaging device according to claim 19, wherein said two faces of said lid are parallel to said two faces of said support in a closed position of said lid, and wherein the device further includes a seal which closes said first aperture and which is located between said lid and said support when said lid is in the closed position.

54. (New) A packaging device as recited in claim 28, wherein the applicator is held against said support by said adhesive sheet.

55. (New) A packaging device as recited in claim 54, wherein said applicator is held adjacent the face of said support having said second aperture at a location spaced from said second aperture.

56. (New) A packaging device as recited in claim 54, wherein the applicator is held adjacent a side surface of said support which extends between said two faces.

57. (New) A packaging device as recited in claim 28, further including an applicator which is housed in said housing before a first use.

58. (New) A packaging device as recited in claim 28, further including an applicator, wherein said applicator is connected to said support by a breakable junction area, and wherein after breaking of said breakable junction area, said applicator can be held in said housing which is at least partially delineated by said adhesive sheet.

59. (New) A packaging device as recited in claim 28, further including a lid, and wherein said adhesive sheet hingedly couples said lid and said support.